Amendments to the Claims:

Following is a complete listing of the claims pending in the application, as amended:

1. (currently amended) A method of preparing lipid particles having an external lipid coating, comprising:

preparing lipid particles comprised of (i) a lipid composition containing a charged lipid and (ii) a therapeutic agent, said particles each having an outer lipid coating having an external lipid leaflet and an internal lipid structure; and

incubating said particles <u>in a medium and</u> under conditions effective to remove said charged lipid from the external lipid leaflet <u>into said medium</u>.

- 2. (original) The method of claim 1, wherein said preparing is comprised of preparing lipid particles composed of a lipid composition containing at least one cationic lipid.
- 3. (original) The method of claim 1, wherein said preparing comprises (i) forming lipid vesicles composed of said lipid composition and (ii) complexing said lipid vesicles with said therapeutic agent.
- 4. (original) The method of claim 1, wherein said incubating comprises incubating said lipid particles in a medium containing uncharged lipid vesicles.
- 5. (original) The method of claim 4, wherein said incubating further includes adding to the medium a lipid-polymer-ligand conjugate.
- 6. (original) The method of claim 1, wherein said lipid particles are liposomes.

USSN: 10/814,703, filed March 30, 2004

- 7. (original) The method of claim 6, wherein said incubating further includes adding to the medium a lipid derivatized with a hydrophilic polymer.
- 8.. (original) The method of claim 7 wherein said adding is comprised of adding a phospholipid derivatized with polyethyleneglycol.
- 9. (original) The method of claim 1, wherein said incubating is at a temperature of less than about 15 °C.
- 10. (original) The method of claim 1, wherein said incubating is for a time of greater than about 5 hours.
- 11. (original) The method of claim 1, wherein said preparing is comprised of preparing lipid particles having an entrapped therapeutic agent selected from the group consisting of a charged drug, a protein, a peptide, and a nucleic acid.
- 12. (original) The method of claim 11, wherein said therapeutic agent is a protein or peptide.

13-18. (cancelled)

19. (currently amended) A method of preparing lipid particles having an asymmetric charged lipid composition in its outer lipid coating prior to *in vivo* administration, comprising:

preparing lipid particles comprised of (i) a lipid composition containing a charged lipid and (ii) a therapeutic agent, said particles each having an outer lipid coating having an external lipid leaflet and an internal lipid structure; and

incubating said particles <u>in a medium</u> and under conditions effective to remove charged lipids from the external lipid leaflet <u>into said medium</u>.

- 20. (original) The method according to claim 19, wherein said incubating includes incubating at a temperature of less than about 15 °C.
- 21. (original) The method according to claim 19, wherein said incubating includes incubating for a time of greater than about 5 hours.
- 22. (original) The method according to claim 19, wherein said incubating includes incubating in a medium comprised of neutral lipid vesicles.
- 23. (New) The method according to claim 19, further comprising separating the lipid particles from said medium.
- 24. (New) The method of claim 1, further comprising separating the lipid particles from said medium.

USSN: 10/814,703, filed March 30, 2004 Response to Office Action dated November 18, 2004